

### Shenzhen Jiaanda Optoelectronics Technology Co., Ltd.

WWW.jad-leds.com; TEL:+8615919783235; MAIL:Sales@jad-leds.com

**Digital COB Strip Light** 



### **Product Specifications:**

•Light Type: Digital COB Strip Light

Voltage: DC5V

•Voltage: 15-18W/m

•LED Type: SK6812RGB

•PCB: white

•LED: 332leds/Pixels/m

PCB Width: 10mmLight Color: RGB

Total Length: 1/2/3/4/5m (optional)Waterproof: IP21/IP65/IP67/IP68

•Cuttable & Flexible: Yes, 1.5cm can be cut, there are solder joints on

the back of the light bar •Double-sided Tape: Yes

•Working Temperature: -20 ° to 50 °

•Life Span: 50000+ hours



# **FRONT**

SK6812 Colorful Smart Flexible LED Strip, Bendable.

Double-Sided
Thermal
Adhesive




Compared with 3M glue, the thermal conductivity of double-sided thermal glue is easier to dissipate the heat of the light bar, and it is more viscous than 3M glue.

BACK
COB LED Strip Each 15mm Can
Be Cuttable, Remaining LED Still
Can Word.




# 332Leds/m





## Male Connector(Data Output)



#### Notes:

- 1)Pls do not install the LED strip in wet environment.
- 2)Pls cut the LED strip according to cutting marks.
- 3)Pls keep the LED strip unfoldable before usage to avoid over heat.
- 4)Pls provide enough DC5V for the led light.

<u>Address: 4th Floor, Building C, No. 47, Baoshi East Road, Shuitian Community, Shiyan Street, Baoan District, Shenzhen, Guangdong, China.</u>